



## SAFETY DATA SHEET NESSOL D100+

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	NESSOL D100+
<b>Chemical name</b>	Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics
<b>Product number</b>	ID 13019
<b>Synonyms; trade names</b>	Previous product name: NESSOL LIAV 300.
<b>REACH registration number</b>	01-2119485032-45-0001

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Manufacture of substance, Distribution of substance, Formulation & (re)packing of substances and mixtures, Uses in coatings Use in cleaning agents Use in oil and gas field drilling and production operations Lubricants Metal working fluids/rolling oils Use as binders and release agents Use as a fuel, Functional fluids Road and construction applications Other Consumer Uses Use in laboratories Explosives manufacture & use Polymer processing Water treatment chemicals Mining chemicals
------------------------	--

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	Neste Oyj Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 SDS@neste.com (chemical safety)
-----------------	---

#### 1.4. Emergency telephone number

**National emergency telephone number** +358-9-471 977, +358-9-4711, Poison Information Centre

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Asp. Tox. 1 - H304
<b>Environmental hazards</b>	Not Classified

#### 2.2. Label elements

##### Pictogram



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H304 May be fatal if swallowed and enters airways.

## NESSOL D100+

**Precautionary statements** P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.  
P501 Dispose of contents/ container in accordance with national regulations.

**Supplemental label information** EUH066 Repeated exposure may cause skin dryness or cracking.

**Contains** Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

### 2.3. Other hazards

**Other hazards** Combustible liquid. Evaporates slowly. Vapours may irritate throat/respiratory system. Risk of soil and ground water contamination.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b>	<b>100 %</b>
CAS number: —	REACH registration number: 01-2119485032-45-XXXX
<b>Classification</b> Asp. Tox. 1 - H304	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Other information** Total aromatics at maximum:, 1 vol-%.  
Identity outside the EU (CAS number and name of the substance):, CAS 64742-47-8,  
Distillates (petroleum) hydrosulfurized, light., Previous EC number:, 265-149-8.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.

**Ingestion** Do not induce vomiting. Get medical attention immediately.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.

**Eye contact** Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** Repeated exposure may cause skin dryness or cracking. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

## NESSOL D100+

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Combustible liquid. Containers can burst violently or explode when heated, due to excessive pressure build-up.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### 5.3. Advice for firefighters

**Protective actions during firefighting** Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Prevent fire extinguishing water from contaminating surface water or the ground water system.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid inhalation of vapours and contact with skin and eyes. Wear adequate protective equipment at all operations.

**For non-emergency personnel** Keep upwind to avoid inhalation of gases, vapours, fumes and smoke.

**For emergency responders** Prevent unauthorized access. Use only in well-ventilated areas.

### 6.2. Environmental precautions

**Environmental precautions** Avoid release to the environment. Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air). Risk of soil and ground water contamination.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Immediately start clean-up of the liquid and contaminated soil. Large spills should be collected mechanically (remove by pumping) for disposal. Small Spillages: Absorb spillage with sand or other inert absorbent. Pay attention to the fire and health hazards caused by the product.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** This material is a static accumulator. Avoid heat, flames and other sources of ignition. Take precautionary measures against static discharges. All handling should only take place in well-ventilated areas. Try to avoid product volatilization during handling and transferring. Avoid inhalation of vapours and contact with skin and eyes. Use personal protective equipment and/or local ventilation when needed. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. During tank operations follow special instructions (risk of oxygen displacement and hydrocarbons).

### 7.2. Conditions for safe storage, including any incompatibilities

## NESSOL D100+

**Storage precautions** Flammable liquid storage. Store in accordance with local regulations. Keep container tightly closed, in a cool, well ventilated place. Keep away from food, drink and animal feeding stuffs. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Take precautions against leakage by constructing collecting pools and sewerage systems as well as by surfacing the loading and unloading stations. Suitable container materials: Stainless steel. Carbon steel. Polytetrafluoroethylene (PTFE, Teflon). Polypropene Polyethylene. Unsuitable container materials: Butyl rubber. Rubber (natural, latex). EPDM (ethylene-propylene-diene monomer). Polystyrene

### 7.3. Specific end use(s)

**Specific end use(s)** Not known.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

**Ingredient comments** Solvent naphtha, group 1: 500 mg/m<sup>3</sup> (8h), HTP 2016/FIN. The individual limit values can be applied for the hydrocarbons.

**DNEL** DNEL derivation is not justified.

**PNEC** Not available.

### 8.2. Exposure controls

**Appropriate engineering controls** All handling should only take place in well-ventilated areas. Use personal protective equipment and/or local ventilation when needed. Handle in accordance with good industrial hygiene and safety practice.

**Eye/face protection** Tight-fitting safety glasses.

**Hand protection** Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Neoprene. The selected gloves should have a breakthrough time of at least 4 hours. Protection class 5. Protective gloves according to standards EN 420 and EN 374. Change protective gloves regularly.

**Other skin and body protection** Protective clothing when needed. Wear anti-static protective clothing if there is a risk of ignition from static electricity.

**Respiratory protection** Filter device/half mask Gas filter, type A2. Filter device could be used maximum 2 hours at a time. Filter devices must not be used in conditions where the oxygen level is low (< 19 vol.-%). At high concentrations a breathing apparatus must be used (self-contained or fresh air hose breathing apparatus). Filter must be changed often enough. Respirator according to standard EN 140.

**Environmental exposure controls** Take precautions against leakage by constructing collecting pools and sewerage systems as well as by surfacing the loading and unloading stations.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

**Appearance** Mobile liquid.

**Colour** Clear.

**Odour** Hydrocarbons. Mild.

**Odour threshold** -

**pH** -

**Melting point** (Melting/pour point) < -15°C

## NESSOL D100+

<b>Initial boiling point and range</b>	230-310°C (EN ISO 3405)
<b>Flash point</b>	> 90°C (EN ISO 2719)
<b>Upper/lower flammability or explosive limits</b>	Lower flammable/explosive limit: 0,5 % Upper flammable/explosive limit: 5,5 %
<b>Vapour pressure</b>	~ 0,01 kPa @ 20°C ~ 2,4 kPa @ 50°C
<b>Vapour density</b>	> 3 (Air = 1.0)
<b>Relative density</b>	~ 0,8 @ 15/4°C (ISO 12185)
<b>Solubility(ies)</b>	The product has poor water-solubility. (~ 10 mg/l)
<b>Partition coefficient</b>	log Kow: > 3
<b>Auto-ignition temperature</b>	230°C Estimated value.
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	Kinematic viscosity 2,3 - 5 mm <sup>2</sup> /s @ 20°C Dynamic viscosity < 50 mPa @ 20°C
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.
<b>9.2. Other information</b>	
<b>Other information</b>	Surface tension 24-26 mN/m @ 25 °C (Wilhelmy plate method)
<b>Molecular weight</b>	~ 208

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

**Conditions to avoid** Keep away from heat, sparks and open flame. Take precautionary measures against static discharges.

#### 10.5. Incompatible materials

**Materials to avoid** Oxidising agents.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** None known.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

## NESSOL D100+

<b>Skin corrosion/irritation</b>	Based on available data the classification criteria are not met. (OECD 404) Repeated exposure may cause skin dryness or cracking.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met. (OECD 405).
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met. (OECD 406).
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met. (OECD 471 (Ames test), 473, 476, 479).
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met. (OECD 474, 475, 483)
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met. (OECD 414)
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.

### Toxicological information on ingredients.

#### Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 3160 mg/kg, Dermal, Rabbit (OECD 402)

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5266 mg/m<sup>3</sup>, Inhalation, Rat (4h) (OECD 403)

### **SECTION 12: Ecological Information**

#### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

#### Ecological information on ingredients.

#### Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

##### Acute aquatic toxicity

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 1028 mg/l, Fish (OECD 203)

## NESSOL D100+

<b>Acute toxicity - aquatic invertebrates</b>	LL <sub>50</sub> , 24 hours: > 3193 mg/l, (ISO 14669-1999)
<b>Acute toxicity - aquatic plants</b>	EL50, 72 hours: > 10000 mg/l, Algae (ISO 10253)
<b><u>Chronic aquatic toxicity</u></b>	
<b>Chronic toxicity - fish early life stage</b>	NOELR, 28 days: > 1000 mg/l, Fish (QSAR)
<b>Chronic toxicity - aquatic invertebrates</b>	NOELR, 21 days: > 1000 mg/l, (QSAR)

### 12.2. Persistence and degradability

<b>Phototransformation</b>	The product contains volatile substances which may spread in the atmosphere. Can be photodegraded in the atmosphere.
<b>Stability (hydrolysis)</b>	No significant reaction in water.

### Ecological information on ingredients.

#### Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

<b>Biodegradation</b>	Rapidly degradable (OECD 301, 306)
-----------------------	---------------------------------------

### 12.3. Bioaccumulative potential

<b>Bioaccumulative potential</b>	No data available.
<b>Partition coefficient</b>	log Kow: > 3

### 12.4. Mobility in soil

<b>Mobility</b>	Evaporates slowly. Product can penetrate soil until reaching the surface of ground water. The product contains substances which are bound to particulate matter and are retained in soil.
-----------------	---

### 12.5. Results of PBT and vPvB assessment

<b>Results of PBT and vPvB assessment</b>	This product does not contain any substances classified as PBT or vPvB.
---	---

### 12.6. Other adverse effects

<b>Other adverse effects</b>	Not known.
------------------------------	------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>General information</b>	Waste is classified as hazardous waste.
<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Waste packaging should be collected for reuse or recycling.

## SECTION 14: Transport information

<b>General</b>	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
----------------	--

### 14.1. UN number

**NESSOL D100+**

UN No. (ADR/RID) -

**14.2. UN proper shipping name**

Proper shipping name (ADR/RID) -

**14.3. Transport hazard class(es)**

ADR/RID class -

**14.4. Packing group**

ADR/RID packing group -

**14.5. Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Bulk (MARPOL 73/78, Annex II): Noxious liquid, NF, (7) n.o.s. (NESSOL D100+ contains Iso- and cyclo-alkanes (C12+)). Ship type: 3 Pollution category: Cat Y According to MARPOL: "Non-solidifying substance"

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**15.2. Chemical safety assessment**

A chemical safety assessment has been carried out.

**SECTION 16: Other information**

**Key literature references and sources for data** Regulations, databases, literature, own research. Chemical Safety Report Hydrocarbons, C13-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics.

**Revision comments** Updated, sections: 9.

**Revision date** 12/06/2018

**Supersedes date** 21/11/2017

**SDS number** 5959

**Hazard statements in full** H304 May be fatal if swallowed and enters airways.