



## SAFETY DATA SHEET

### NESTE PRO GEAR V 75W-80

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name                    NESTE PRO GEAR V 75W-80

Product number                ID 18825

Internal identification         2111

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                 Transmission oil.

##### 1.3. Details of the supplier of the safety data sheet

Supplier                         Neste Markkinointi Oy  
Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND  
Tel. +358 10 45811  
lubetec@neste.com

##### 1.4. Emergency telephone number

National emergency telephone number +358-9-471 977, +358-9-4711, Poison Information Centre number

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards                Not Classified

Health hazards                 Not Classified

Environmental hazards        Aquatic Chronic 3 - H412

##### 2.2. Label elements

Hazard statements             H412 Harmful to aquatic life with long lasting effects.

Precautionary statements    P102 Keep out of reach of children.  
P273 Avoid release to the environment.  
P501 Dispose of contents/ container in accordance with national regulations.

##### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

Polyolefin phosphonic acid ester	2,5 - < 5 %
CAS number: —	
<b>Classification</b>	
Skin Irrit. 2 - H315	

**NESTE PRO GEAR V 75W-80**

<b>Di-tert-butylphenyl phenyl phosphate</b>	<b>0,25 - &lt; 0,5 %</b>
CAS number: 65652-41-7	EC number: 265-859-8
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b>	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
<b>tert-butylphenyl diphenyl phosphate</b>	<b>0,25 - &lt; 0,5 %</b>
CAS number: 56803-37-3	EC number: 260-391-0
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b>	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
<b>Triphenyl phosphate</b>	<b>0,1 - &lt; 0,25 %</b>
CAS number: 115-86-6	EC number: 204-112-2
M factor (Acute) = 1	
<b>Classification</b>	
Aquatic Acute 1 - H400	
Aquatic Chronic 2 - H411	
<b>Diphenylamine</b>	<b>0,1 - &lt; 0,25 %</b>
CAS number: 122-39-4	EC number: 204-539-4
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b>	
Acute Tox. 3 - H301	
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
Eye Irrit. 2 - H319	
STOT RE 2 - H373	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

## NESTE PRO GEAR V 75W-80

**Eye contact** Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** No specific health hazards known.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** None known.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Oxides of phosphorus.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear suitable protective clothing as protection against splashing or contamination.

**For emergency responders** Keep unnecessary and unprotected personnel away from the spillage.

### 6.2. Environmental precautions

**Environmental precautions** Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

## NESTE PRO GEAR V 75W-80

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

**Specific end use(s)** Not known.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### **Triphenyl phosphate**

Triphenyl phosphate: 3 mg/m<sup>3</sup> (8h), 6 mg/m<sup>3</sup> (15min), HTP 2018/FIN

##### **Diphenylamine**

Diphenylamine: 5 mg/m<sup>3</sup> (8h), 10 mg/m<sup>3</sup> (15min), HTP 2018/FIN

### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	All handling should only take place in well-ventilated areas. Avoid the formation of mists. Provide eyewash station and safety shower.
<b>Eye/face protection</b>	Tight-fitting safety glasses.
<b>Hand protection</b>	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
<b>Other skin and body protection</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Red.
<b>Odour</b>	-
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	< -48°C Pour point
<b>Initial boiling point and range</b>	-
<b>Flash point</b>	220°C
<b>Flammability (solid, gas)</b>	-
<b>Upper/lower flammability or explosive limits</b>	-
<b>Vapour pressure</b>	-
<b>Vapour density</b>	-
<b>Relative density</b>	~ 0,861
<b>Solubility(ies)</b>	-

## NESTE PRO GEAR V 75W-80

<b>Partition coefficient</b>	-
<b>Auto-ignition temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	~ 65 mm <sup>2</sup> /s @ 40°C
<b>Explosive properties</b>	-
<b>Oxidising properties</b>	-

### 9.2. Other information

**Other information** Not known.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid** None known.

### 10.5. Incompatible materials

**Materials to avoid** None known.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Oxides of phosphorus.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Acute toxicity - oral

**ATE oral (mg/kg)** 41,666.67

#### Acute toxicity - dermal

**ATE dermal (mg/kg)** 125,000.0

#### Acute toxicity - inhalation

**ATE inhalation (dusts/mists mg/l)** 208.33

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

## NESTE PRO GEAR V 75W-80

<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<u>Reproductive toxicity</u>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - single exposure</u>	
<b>STOT - single exposure</b>	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - repeated exposure</u>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<u>Aspiration hazard</u>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<u>Toxicological information on ingredients.</u>	

### tert-butylphenyl diphenyl phosphate

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit

#### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LC<sub>50</sub> > 3,1 mg/l, Inhalation, Rat (4h)

### Triphenyl phosphate

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 20000 mg/kg, Oral, Rat (OECD TG 401)

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 10000 mg/kg, Dermal, Rabbit (OECD TG 402)

### Diphenylamine

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 300 mg/kg, Oral, Guinea pig

ATE oral (mg/kg) 100.0

#### Acute toxicity - dermal

ATE dermal (mg/kg) 300.0

#### Acute toxicity - inhalation

## NESTE PRO GEAR V 75W-80

ATE inhalation 0.5  
(dusts/mists mg/l)

### SECTION 12: Ecological information

#### 12.1. Toxicity

**Toxicity** Harmful to aquatic life with long lasting effects.

#### Ecological information on ingredients.

##### Di-tert-butylphenyl phenyl phosphate

#### Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

#### Chronic aquatic toxicity

M factor (Chronic) 1

##### tert-butylphenyl diphenyl phosphate

#### Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

#### Chronic aquatic toxicity

M factor (Chronic) 1

##### Triphenyl phosphate

#### Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 0,4 mg/l, Oncorhynchus mykiss (Rainbow trout)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 1 mg/l, Daphnia magna  
LC<sub>50</sub>, 96 hours: > 0,18 - < 0,32 mg/l, Opossum shrimp (Americamysis bahia)

**Acute toxicity - aquatic plants** NOEC, 72 hours: 0,25 mg/l, Pseudokirchneriella subcapitata

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** EC<sub>10</sub>, 30 days: 0,037 mg/l, Oncorhynchus mykiss (Rainbow trout)

**Chronic toxicity - aquatic invertebrates** NOEC, 21 days: 0,254 mg/l, Daphnia magna (OECD TG 211)

##### Diphenylamine

#### Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

## NESTE PRO GEAR V 75W-80

<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 0,27 - 0,36 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 2,17 mg/l (estimated) , Pseudokirchneriella subcapitata (OECD TG 201) NOEC, 72 hours: 0,37 mg/l (estimated) , Pseudokirchneriella subcapitata (OECD TG 201)
<b><u>Chronic aquatic toxicity</u></b>	
<b>M factor (Chronic)</b>	1

### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

**Biodegradation** No data available.

### Ecological information on ingredients.

#### Triphenyl phosphate

**Biodegradation** 83 - 94 %, 28d (OECD TG 301C)

#### Diphenylamine

**Biodegradation** 26 %, 28d (OECD TG 301D)

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

### Ecological information on ingredients.

#### tert-butylphenyl diphenyl phosphate

**Partition coefficient** log Pow: 5,12 (25 °C)

#### Triphenyl phosphate

**Bioaccumulative potential** BCF: 144, Oryzias latipes (Red killifish)

**Partition coefficient** log Pow: 4,63 (20 °C)

#### Diphenylamine

**Bioaccumulative potential** BCF: 30, Pimephales promelas (Fat-head Minnow)

### 12.4. Mobility in soil

**Mobility** No data available.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations



## NESTE PRO GEAR V 75W-80

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

-

**UN No. (ADR/RID)** -

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** -

#### 14.3. Transport hazard class(es)

**ADR/RID class** -

#### 14.4. Packing group

**ADR/RID packing group** -

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**Health and environmental listings** Regulation (EC) 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals (as amended). Diphenylamine

#### 15.2. Chemical safety assessment

No data available.

### SECTION 16: Other information

**NESTE PRO GEAR V 75W-80**

<b>Abbreviations and acronyms used in the safety data sheet</b>	ATE = Acute Toxicity Estimate BCF = Bio-Concentration Factor
<b>Key literature references and sources for data</b>	The manufacturer's SDS. 15.12.2017
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	11/09/2018
<b>Supersedes date</b>	12/01/2018
<b>SDS number</b>	5783
<b>Hazard statements in full</b>	H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.