



## SAFETY DATA SHEET

### NESTE INDUSTRIAL GEAR S 100 EP

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

<b>Product name</b>	NESTE INDUSTRIAL GEAR S 100 EP
<b>Product number</b>	ID 18993
<b>Internal identification</b>	3480
<b>Synonyms; trade names</b>	Previous product name: NESTE VAIHTEISTO S 100 EP, product number 3479, ID 16286.

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Lubricant.
------------------------	------------

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 lubetec@neste.com
-----------------	---

##### 1.4. Emergency telephone number

**National emergency telephone number** +358-9-471 977, +358-9-4711, Poison Information Centre

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Not Classified
<b>Environmental hazards</b>	Aquatic Chronic 3 - H412

##### 2.2. Label elements

<b>Hazard statements</b>	EUH208 Contains Amines, C12-14-tert-alkyl. May produce an allergic reaction. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with national regulations.

##### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

## NESTE INDUSTRIAL GEAR S 100 EP

<b>Oleylamine</b>	<b>0,025 - &lt; 0,10 %</b>
CAS number: 112-90-3	EC number: 204-015-5
M factor (Acute) = 10	M factor (Chronic) = 10

### Classification

Acute Tox. 4 - H302  
 Skin Corr. 1B - H314  
 Eye Dam. 1 - H318  
 STOT SE 3 - H335  
 STOT RE 2 - H373  
 Asp. Tox. 1 - H304  
 Aquatic Acute 1 - H400  
 Aquatic Chronic 1 - H410

<b>Amines, C12-14-tert-alkyl</b>		<b>0,1 - &lt; 0,25 %</b>
CAS number: 68955-53-3	EC number: 273-279-1	REACH registration number: 01-2119456798-18-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1	

### Classification

Acute Tox. 4 - H302  
 Acute Tox. 3 - H311  
 Acute Tox. 2 - H330  
 Skin Corr. 1B - H314  
 Eye Dam. 1 - H318  
 Skin Sens. 1A - H317  
 STOT SE 3 - H335  
 Aquatic Acute 1 - H400  
 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
----------------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

## NESTE INDUSTRIAL GEAR S 100 EP

**Notes for the doctor**                      Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media**    Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media**                      Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards**                                      Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

**Hazardous combustion products**                      Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

#### 5.3. Advice for firefighters

**Protective actions during firefighting**                      Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.

**Special protective equipment for firefighters**                      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**                                      Wear suitable protective clothing as protection against splashing or contamination.

**For emergency responders**                      Keep unnecessary and unprotected personnel away from the spillage.

#### 6.2. Environmental precautions

**Environmental precautions**                      Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**                                      Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

#### 6.4. Reference to other sections

**Reference to other sections**                      For personal protection, see Section 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**                                      Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**                                      Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

**Specific end use(s)**                                      Not known.

## NESTE INDUSTRIAL GEAR S 100 EP

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.
<b>Eye/face protection</b>	Tight-fitting safety glasses.
<b>Hand protection</b>	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
<b>Other skin and body protection</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Tan.
<b>Odour</b>	Petroleum.
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	-
<b>Initial boiling point and range</b>	> 350°C
<b>Flash point</b>	200°C
<b>Flammability (solid, gas)</b>	-
<b>Upper/lower flammability or explosive limits</b>	-
<b>Vapour pressure</b>	-
<b>Vapour density</b>	-
<b>Relative density</b>	0,851 @ 20°C
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	-
<b>Auto-ignition temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	100 mm <sup>2</sup> /s @ 40°C
<b>Explosive properties</b>	-
<b>Oxidising properties</b>	-
<b>9.2. Other information</b>	
<b>Other information</b>	Not known.

## NESTE INDUSTRIAL GEAR S 100 EP

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** Oxidising agents.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** > 20 mg/l (4h), Vapour, Calculation method.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development**

Based on available data the classification criteria are not met.

## NESTE INDUSTRIAL GEAR S 100 EP

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### Toxicological information on ingredients.

#### Oleylamine

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 1950 mg/kg, Oral, Rat

**ATE oral (mg/kg)** 500.0

#### Amines, C12-14-tert-alkyl

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 612 mg/kg, Oral, Rat (OECD TG 401)

**ATE oral (mg/kg)** 500.0

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> 251 mg/kg, Dermal, Rat (OECD TG 402)

**ATE dermal (mg/kg)** 300.0

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> 1,19 mg/l, (4h), Inhalation, Rat (OECD TG 403)

**ATE inhalation (vapours mg/l)** 0.5

## SECTION 12: Ecological information

### 12.1. Toxicity

**Toxicity** Harmful to aquatic life with long lasting effects. The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

### Ecological information on ingredients.

#### Oleylamine

##### Acute aquatic toxicity

**LE(C)<sub>50</sub>** 0.01 < L(E)C<sub>50</sub> ≤ 0.1

**M factor (Acute)** 10

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 0,11 mg/l, Pimephales promelas (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 0,011 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 0,083 mg/l, Desmodemus subspicatus  
NOEC, 96 hours: 0,01 mg/l, Pseudokirchneriella subcapitata

##### Chronic aquatic toxicity

**NESTE INDUSTRIAL GEAR S 100 EP**

**M factor (Chronic)** 10

**Amines, C12-14-tert-alkyl****Acute aquatic toxicity**

**LE(C)<sub>50</sub>** 0.1 < L(E)C<sub>50</sub> ≤ 1

**M factor (Acute)** 1

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 1,3 mg/l, Oncorhynchus mykiss (Rainbow trout)  
(OECD TG 203)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 2,5 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** ErC<sub>50</sub>, 72 hours: 0,44 mg/l, Pseudokirchneriella subcapitata  
NOEC, 72 hours: 0,05 mg/l, Pseudokirchneriella subcapitata  
(OECD TG 201)

**Chronic aquatic toxicity**

**M factor (Chronic)** 1

**Chronic toxicity - fish early life stage** NOEC, 96 days: 0,078 mg/l, Oncorhynchus mykiss (Rainbow trout)  
(OECD TG 210)

**12.2. Persistence and degradability**

**Persistence and degradability** No data available.

**Biodegradation** No data available.

**Ecological information on ingredients.****Oleylamine**

**Biodegradation** 44 %, 28 d

**Amines, C12-14-tert-alkyl**

**Biodegradation** 22 %, 28 d  
(OECD TG 301D)

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

**Ecological information on ingredients.****Oleylamine**

**Bioaccumulative potential** (BCF) > 500

**Partition coefficient** log Pow: Estimated value. > 4

**Amines, C12-14-tert-alkyl**

**Bioaccumulative potential** log Pow 2,9

**12.4. Mobility in soil**

**Mobility** No data available.

## NESTE INDUSTRIAL GEAR S 100 EP

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment**      No data available.

### 12.6. Other adverse effects

**Other adverse effects**      None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods**      Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

## SECTION 14: Transport information

**General**      The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

-

**UN No. (ADR/RID)**      -

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)**      -

### 14.3. Transport hazard class(es)

**ADR/RID class**      -

### 14.4. Packing group

**ADR/RID packing group**      -

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**      Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation**      Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).



## NESTE INDUSTRIAL GEAR S 100 EP

### 15.2. Chemical safety assessment

No data available.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	ATE = Acute Toxicity Estimate
<b>Key literature references and sources for data</b>	The manufacturer's SDS. 23.4.2019
<b>Revision comments</b>	Revised classification. Revised formulation. NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	22/05/2019
<b>Supersedes date</b>	01/09/2017
<b>SDS number</b>	4834
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs (Gastro-intestinal tract, liver, immune system) through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains Amines, C12-14-tert-alkyl. May produce an allergic reaction.