



## SAFETY DATA SHEET NESTE PRO+ V 0W-20

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	NESTE PRO+ V 0W-20
Product number	ID 19060
Internal identification	1177
Synonyms; trade names	Previous product name: NESTE CITY PRO 0W-20, product number 0130, ID 16935.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Engine oil.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Neste Markkinointi Oy  
Keilaranta 21, Espoo, PL 95, FIN-00095 NESTE, FINLAND  
Tel. +358 10 45811  
lubetec@neste.com

#### 1.4. Emergency telephone number

National emergency telephone number +358-9-471 977, +358-9-4711, Poison Information Centre

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

#### 2.2. Label elements

Hazard statements EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

#### 2.3. Other hazards

Other hazards Risk of soil and ground water contamination.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**NESTE PRO+ V 0W-20**

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	<b>50 - &lt; 60 %</b>
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b>	<b>1 - &lt; 2,5%</b>
CAS number: 72623-86-0	EC number: 276-737-9
	REACH registration number: 01-2119474878-16-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b>	<b>1 - &lt; 2,5%</b>
CAS number: 72623-87-1	EC number: 276-738-4
	REACH registration number: 01-2119474889-13-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>C14-16-18 Alkyl phenol</b>	<b>1 - &lt; 2,5 %</b>
CAS number: —	EC number: 931-468-2
	REACH registration number: 01-2119498288-19-XXXX
<b>Classification</b>	
Skin Sens. 1B - H317	
STOT RE 2 - H373	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

##### **4.1. Description of first aid measures**

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

##### **4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
----------------------------	--

##### **4.3. Indication of any immediate medical attention and special treatment needed**

## NESTE PRO+ V 0W-20

**Notes for the doctor**                      Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media**    Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media**    Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards**                      None known.

**Hazardous combustion products**    Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons.

#### 5.3. Advice for firefighters

**Protective actions during firefighting**    Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.

**Special protective equipment for firefighters**    Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear suitable protective clothing as protection against splashing or contamination.

**For emergency responders**    Keep unnecessary and unprotected personnel away from the spillage.

#### 6.2. Environmental precautions

**Environmental precautions**    Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**                      Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

#### 6.4. Reference to other sections

**Reference to other sections**    For personal protection, see Section 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**                      Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**                      Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

**Specific end use(s)**                      Not known.

## NESTE PRO+ V 0W-20

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS: 72623-86-0)

<b>DNEL</b>	<p>Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol          Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol          Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.          Available hazard data do not support the need for a DNEL to be established for other health effects.</p>
-------------	--

##### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)

<b>DNEL</b>	<p>Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol          Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol          Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.          Available hazard data do not support the need for a DNEL to be established for other health effects.</p>
-------------	--

#### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.
<b>Eye/face protection</b>	Tight-fitting safety glasses.
<b>Hand protection</b>	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
<b>Other skin and body protection</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Tan.
<b>Odour</b>	Petroleum.
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	< -39°C Pour point
<b>Initial boiling point and range</b>	-
<b>Flash point</b>	208°C PMCC (Pensky-Martens closed cup).
<b>Flammability (solid, gas)</b>	-
<b>Upper/lower flammability or explosive limits</b>	-

## NESTE PRO+ V 0W-20

Vapour pressure	-
Vapour density	-
Relative density	0,843 @ 15°C
Solubility(ies)	Insoluble in water.
Partition coefficient	-
Auto-ignition temperature	-
Decomposition Temperature	-
Viscosity	48 mm <sup>2</sup> /s @ 40°C
Explosive properties	-
Oxidising properties	-

### 9.2. Other information

Other information	Not known.
-------------------	------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

### 10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
------------------------------------	---

### 10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

### 10.5. Incompatible materials

Materials to avoid	Strong alkalis. Oxidising agents.
--------------------	-----------------------------------

### 10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Hydrocarbons.
----------------------------------	--

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological effects	Based on available data the classification criteria are not met.
-----------------------	--

#### Skin corrosion/irritation

Skin corrosion/irritation	Based on available data the classification criteria are not met.
---------------------------	--

#### Serious eye damage/irritation

Serious eye damage/irritation	Based on available data the classification criteria are not met.
-------------------------------	--

#### Respiratory sensitisation

Respiratory sensitisation	Based on available data the classification criteria are not met.
---------------------------	--

#### Skin sensitisation

## NESTE PRO+ V 0W-20

<b>Skin sensitisation</b>	The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met. Supplier's information. Bridging principle (Dilution).
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vivo</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.

### Distillates (petroleum), hydrotreated heavy paraffinic

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 15000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit

### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (4h) (OECD 403)

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (OECD 403)

### C14-16-18 Alkyl phenol

#### Acute toxicity - oral

## NESTE PRO+ V 0W-20

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

### SECTION 12: Ecological Information

#### 12.1. Toxicity

**Toxicity** The product is not expected to be hazardous to the environment. Based on available data the classification criteria are not met.

#### Distillates (petroleum), hydrotreated heavy paraffinic

<b>Acute toxicity - fish</b>	LL <sub>50</sub> , : > 100 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EL50, : > 10000 mg/l,
<b>Acute toxicity - aquatic plants</b>	EL50, : > 100 mg/l,
<b>Chronic toxicity - fish early life stage</b>	NOEC, : 10 mg/l,
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, : 10 mg/l,

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

<b>Acute toxicity - fish</b>	LL <sub>50</sub> , 96 hours: > 100 mg/l, NOEL, 96 hours: ≥ 100 mg/l, WAF (OECD 203)
<b>Acute toxicity - aquatic invertebrates</b>	EL50, 24 - 48 hours: > 10000 mg/l, NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL <sub>50</sub> , 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)
<b>Acute toxicity - aquatic plants</b>	NOEL, 72 hours: ≥ 100 mg/l, WAF (OECD 201)
<b>Acute toxicity - microorganisms</b>	NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

<b>Acute toxicity - fish</b>	LL <sub>50</sub> , 96 hours: > 100 mg/l, NOEL, 96 hours: ≥ 100 mg/l, WAF (OECD 203)
<b>Acute toxicity - aquatic invertebrates</b>	EL50, 48 hours: > 10000 mg/l, Daphnia magna NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL <sub>50</sub> , 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)

## NESTE PRO+ V 0W-20

<b>Acute toxicity - aquatic plants</b>	NOEL, 72 hours: $\geq 100$ mg/l, <i>Pseudokirchneriella subcapitata</i> WAF (OECD 201)
<b>Acute toxicity - microorganisms</b>	NOEL, 10 minutes: $> 1,93$ mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)
<b>Chronic toxicity - fish early life stage</b>	NOELR, 14 days: $\geq 1000$ mg/l, <i>Onchorhynchus mykiss</i> (Rainbow trout)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEL, 21 days: 10 mg/l, <i>Daphnia magna</i> WAF (OECD 211)

### C14-16-18 Alkyl phenol

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: $> 100$ mg/l, <i>Cyprinus carpio</i> (Common carp) WAF
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: $> 100$ mg/l, <i>Daphnia magna</i> (OECD TG 202)
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: $> 100$ mg/l, <i>Pseudokirchneriella subcapitata</i> WAF

#### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

**Biodegradation** No data available.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

### C14-16-18 Alkyl phenol

**Partition coefficient** log Pow:  $> 7,2$

#### 12.4. Mobility in soil

**Mobility** No data available.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available.

#### 12.6. Other adverse effects

**Other adverse effects** Risk of soil and ground water contamination.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).



**NESTE PRO+ V 0W-20****14.1. UN number**

-

UN No. (ADR/RID) -

**14.2. UN proper shipping name**

Proper shipping name (ADR/RID) -

**14.3. Transport hazard class(es)**

ADR/RID class -

**14.4. Packing group**

ADR/RID packing group -

**14.5. Environmental hazards**Environmentally hazardous substance/marine pollutant  
No.**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**15.2. Chemical safety assessment**

No data available.

**SECTION 16: Other information**

**Abbreviations and acronyms used in the safety data sheet** DNEL = Derived No-Effect Level  
NOEL = No Observed Effect Level  
WAF = Water Accommodated Fraction

**Key literature references and sources for data** The manufacturer's SDS. 11.1.2017

**Revision comments** Product name change.

**Revision date** 01/09/2017

**Supersedes date** 19/01/2017

**SDS number** 5617

## NESTE PRO+ V 0W-20

### **Hazard statements in full**

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.