



## SAFETY DATA SHEET NESTE ATF MULTI

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	NESTE ATF MULTI
<b>Product number</b>	ID 19115
<b>Internal identification</b>	2160
<b>Synonyms; trade names</b>	Previous product number 2940, ID 18199

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Transmission oil.
------------------------	-------------------

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Neste Markkinointi Oy  
Keilaranta 21, Espoo, PL 95, FIN-00095 NESTE, FINLAND  
Tel. +358 10 45811  
lubetec@neste.com

#### 1.4. Emergency telephone number

**National emergency telephone number** +358-9-471 977, +358-9-4711, Poison Information Centre

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Not Classified
<b>Environmental hazards</b>	Aquatic Chronic 3 - H412

#### 2.2. Label elements

<b>Hazard statements</b>	H412 Harmful to aquatic life with long lasting effects. EUH208 Contains 1,2-Propanediol, 3-amino, N,N,-dicoco alkyl derivs., Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs, 1-(tert-dodecylthio)propan-2-ol, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction.
<b>Precautionary statements</b>	P273 Avoid release to the environment. P501 Dispose of contents/ container in accordance with national regulations. P102 Keep out of reach of children.

#### 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## NESTE ATF MULTI

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	<b>70 - &lt; 80 %</b>
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 398141-87-2	EC number: 800-172-4
	REACH registration number: 01-2119969520-35-XXXX
<b>Classification</b>	
Aquatic Chronic 2 - H411	
<b>Distillates (petroleum), hydrotreated light paraffinic</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 64742-55-8	EC number: 265-158-7
	REACH registration number: 01-2119487077-29-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>1,2-Propanediol, 3-amino, N,N,-dicoco alkyl derivs.</b>	<b>0,25 - &lt; 0,5 %</b>
CAS number: —	EC number: 482-000-4
	REACH registration number: 01-0000020142-86-XXXX
<b>Classification</b>	
Skin Sens. 1B - H317	
Aquatic Chronic 3 - H412	
<b>Acetamide, 2-hydroxy-, N,N,-dicoco alkyl derivs</b>	<b>0,5 - &lt; 1 %</b>
CAS number: 866259-61-2	EC number: 471-920-1
	REACH registration number: 01-0000019770-68-XXXX
<b>Classification</b>	
Skin Sens. 1 - H317	
<b>Benzene, polypropene derivatives, sulfonated, calcium salts</b>	<b>0,1 - &lt; 0,5 %</b>
CAS number: 75975-85-8	EC number: 616-278-7
<b>Classification</b>	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	

## NESTE ATF MULTI

<b>1-(tert-dodecylthio)propan-2-ol</b>			<b>0,25 - &lt; 0,5 %</b>
CAS number: 67124-09-8	EC number: 266-582-5	REACH registration number: 01-2119953277-30-XXXX	
M factor (Acute) = 1	M factor (Chronic) = 1		
<b>Classification</b>			
Skin Sens. 1 - H317			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
<b>Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.</b>			<b>0 - &lt; 0,1 %</b>
CAS number: 61791-44-4	EC number: 263-177-5		
M factor (Acute) = 10	M factor (Chronic) = 1		
<b>Classification</b>			
Met. Corr. 1 - H290			
Acute Tox. 4 - H302			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
----------------------------	--

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

## NESTE ATF MULTI

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear suitable protective clothing as protection against splashing or contamination.

**For emergency responders** Keep unnecessary and unprotected personnel away from the spillage.

### 6.2. Environmental precautions

**Environmental precautions** Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

**Specific end use(s)** Not known.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

**Appropriate engineering controls** All handling should only take place in well-ventilated areas. Avoid the formation of mists. Provide eyewash station and safety shower.

**Eye/face protection** Tight-fitting safety glasses.

## NESTE ATF MULTI

<b>Hand protection</b>	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
<b>Other skin and body protection</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Red.
<b>Odour</b>	Petroleum.
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	< -42°C Pour point
<b>Flash point</b>	183°C PMCC (Pensky-Martens closed cup).
<b>Flammability (solid, gas)</b>	-
<b>Upper/lower flammability or explosive limits</b>	-
<b>Vapour pressure</b>	-
<b>Vapour density</b>	-
<b>Relative density</b>	~ 0,843 @ 15°C
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	-
<b>Auto-ignition temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	29 mm <sup>2</sup> /s @ 40°C
<b>Explosive properties</b>	-
<b>Oxidising properties</b>	-

#### 9.2. Other information

<b>Other information</b>	Not known.
--------------------------	------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

## NESTE ATF MULTI

**Possibility of hazardous reactions** No potentially hazardous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** Oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

#### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### Distillates (petroleum), hydrotreated heavy paraffinic

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 15000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

## NESTE ATF MULTI

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit

### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich

**Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 10000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 4000 mg/kg, Dermal, Rabbit

### Distillates (petroleum), hydrotreated light paraffinic

**Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 5000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> 2000 mg/kg, Dermal, Rabbit

### 1-(tert-dodecylthio)propan-2-ol

**Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit

### Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.

**Acute toxicity - oral**

**ATE oral (mg/kg)** 500.0

## SECTION 12: Ecological Information

### 12.1. Toxicity

**Toxicity** Harmful to aquatic life with long lasting effects.

### Distillates (petroleum), hydrotreated heavy paraffinic

**Acute toxicity - fish** LL<sub>50</sub>, : > 100 mg/l,

**Acute toxicity - aquatic invertebrates** EL50, : > 10000 mg/l,

**Acute toxicity - aquatic plants** EL50, : > 100 mg/l,

**Chronic toxicity - fish early life stage** NOEC, : 10 mg/l,

**Chronic toxicity - aquatic invertebrates** NOEC, : 10 mg/l,

### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich

**Acute toxicity - fish** , 96 hours: 4,2 mg/l, Pimephales promelas (Fat-head Minnow)

**NESTE ATF MULTI**

<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 4,6 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	LL <sub>50</sub> , 72 hours: 3,5 mg/l, Desmodemus subspicatus WAF LL <sub>50</sub> , 72 hours: 63 mg/l, Desmodemus subspicatus WAF

**1-(tert-dodecylthio)propan-2-ol****Acute aquatic toxicity**LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

M factor (Acute) 1

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 0,75 mg/l, Onchorhynchus mykiss (Rainbow trout) (OECD TG 203)

**Acute toxicity - aquatic invertebrates** EL<sub>50</sub>, 48 hours: 0,58 mg/l, Daphnia magna  
WAF

**Acute toxicity - aquatic plants** EL<sub>50</sub>, 96 hours: > 100 mg/l, Desmodemus subspicatus  
WAF

**Chronic aquatic toxicity**

M factor (Chronic) 1

**Chronic toxicity - aquatic invertebrates** NOEL, 21 days: 0,32 mg/l, Daphnia magna (OECD TG 211)

**Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.****Acute aquatic toxicity**LE(C)<sub>50</sub> 0.01 < L(E)C<sub>50</sub> ≤ 0.1

M factor (Acute) 10

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: < 1 mg/l, Algae

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: < 1 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: < 0,01 mg/l, Fish

**Chronic aquatic toxicity**

M factor (Chronic) 1

**12.2. Persistence and degradability**

**Persistence and degradability** No data available.

**Biodegradation** No data available.

**Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich**

**Biodegradation** 9,6 %, 28 d

**1-(tert-dodecylthio)propan-2-ol**



## NESTE ATF MULTI

**Biodegradation** 5 %, 28 d (OECD TG 301F)

### Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.

**Biodegradation** 60 %, 28 d (OECD TG 301D)

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

### Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich

**Partition coefficient** log Pow 1,19

### 1-(tert-dodecylthio)propan-2-ol

**Partition coefficient** log Pow: 4,7 - 6,5

#### 12.4. Mobility in soil

**Mobility** No data available.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

-

**UN No. (ADR/RID)** -

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** -

#### 14.3. Transport hazard class(es)

**ADR/RID class** -

#### 14.4. Packing group

**ADR/RID packing group** -

## NESTE ATF MULTI

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

No data available.

## SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet** ATE = Acute Toxicity Estimate  
NOEL = No Observed Effect Level  
WAF = Water Accommodated Fraction

**Key literature references and sources for data** The manufacturer's SDS. 2.6.2017

**Revision comments** Updated, sections: 1

**Revision date** 01/09/2017

**Supersedes date** 05/07/2017

**SDS number** 5580

**Hazard statements in full** H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.  
EUH208 Contains 1,2-Propanediol, 3-amino, N,N,-dicoco alkyl derivs., Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs, 1-(tert-dodecylthio)propan-2-ol, Benzene, polypropene derivatives, sulfonated, calcium salts. May produce an allergic reaction.