



## SAFETY DATA SHEET

### NESTE TURBO+ E6 5W-30

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name                    NESTE TURBO+ E6 5W-30  
 Product number                ID 19149  
 Internal identification        1871

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                Engine oil.

##### 1.3. Details of the supplier of the safety data sheet

###### Supplier

Neste Markkinointi Oy  
 Keilaranta 21, Espoo, PL 95, FIN-00095 NESTE, FINLAND  
 Tel. +358 10 45811  
 lubetec@neste.com

##### 1.4. Emergency telephone number

National emergency telephone number +358-9-471 977, +358-9-4711, Poison Information Centre number

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards                Not Classified  
 Health hazards                 Not Classified  
 Environmental hazards        Not Classified

##### 2.2. Label elements

Hazard statements              EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

##### 2.3. Other hazards

Other hazards                    Risk of soil and ground water contamination.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	60 - < 70 %
CAS number: 72623-87-1	EC number: 276-738-4
	REACH registration number: 01-2119474889-13-XXXX

###### Classification

Asp. Tox. 1 - H304

## NESTE TURBO+ E6 5W-30

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	<b>5 - &lt; 10 %</b>
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Dec-1-ene, homopolymer, hydrogenated</b>	<b>10 - &lt; 15 %</b>
CAS number: 68037-01-4	EC number: 500-183-1
	REACH registration number: 01-2119486452-34-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b>	<b>5 - &lt; 10 %</b>
CAS number: 72623-86-0	EC number: 276-737-9
	REACH registration number: 01-2119474878-16-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>bis(nonylphenyl)amine</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 36878-20-3	EC number: 253-249-4
	REACH registration number: 01-2119488911-28-XXXX
<b>Classification</b>	
Aquatic Chronic 4 - H413	
<b>Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 125643-61-0	EC number: 406-040-9
	REACH registration number: 01-0000015551-76-XXXX
<b>Classification</b>	
Aquatic Chronic 4 - H413	
<b>Distillates (petroleum), solvent-dewaxed heavy paraffinic</b>	<b>2,5 - &lt; 5 %</b>
CAS number: 64742-65-0	EC number: 265-169-7
	REACH registration number: 01-2119471299-27-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	

## NESTE TURBO+ E6 5W-30

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)		1 - < 2,5 %
CAS number: 93819-94-4	EC number: 298-577-9	REACH registration number: 01-2119543726-33-XXXX
<b>Classification</b>		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The product contains a small amount of sensitising substance. May produce an allergic reaction.
----------------------------	---

##### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

##### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	None known.
<b>Hazardous combustion products</b>	Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). Hydrocarbons. Nitrous gases (NO <sub>x</sub> ). Zinc oxide fumes. Sulphurous gases (SO <sub>x</sub> ). Hydrogen sulphide (H <sub>2</sub> S). Mercaptans.

##### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

## NESTE TURBO+ E6 5W-30

**Personal precautions**      Wear suitable protective clothing as protection against splashing or contamination.

**For emergency responders**      Keep unnecessary and unprotected personnel away from the spillage.

### 6.2. Environmental precautions

**Environmental precautions**      Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**      Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.

### 6.4. Reference to other sections

**Reference to other sections**      For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions**      Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**      Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

**Specific end use(s)**      Not known.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)

**DNEL**      Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol  
 Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol  
 Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.  
 Available hazard data do not support the need for a DNEL to be established for other health effects.

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS: 72623-86-0)

**DNEL**      Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol  
 Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol  
 Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.  
 Available hazard data do not support the need for a DNEL to be established for other health effects.

### 8.2. Exposure controls

**Appropriate engineering controls**      All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.

## NESTE TURBO+ E6 5W-30

<b>Eye/face protection</b>	Safety goggles if there is a risk of splashing.
<b>Hand protection</b>	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.
<b>Other skin and body protection</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Tan.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	< -45°C Pour point
<b>Initial boiling point and range</b>	330°C (1.013,333333 hPa) (calculated)
<b>Flash point</b>	> 100°C
<b>Flammability (solid, gas)</b>	-
<b>Upper/lower flammability or explosive limits</b>	-
<b>Vapour pressure</b>	-
<b>Vapour density</b>	-
<b>Relative density</b>	~ 0,855 @ 15°C
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	-
<b>Auto-ignition temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	~ 74 mm <sup>2</sup> /s @ 40°C 12 mm <sup>2</sup> /s @ 100°C
<b>Explosive properties</b>	-
<b>Oxidising properties</b>	-
<b>9.2. Other information</b>	
<b>Other information</b>	Not known.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

## NESTE TURBO+ E6 5W-30

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** Oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Hydrocarbons. Hydrogen sulphide (H<sub>2</sub>S). Nitrous gases (NO<sub>x</sub>). Sulphurous gases (SO<sub>x</sub>). Zinc oxide fumes. Mercaptans.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development**

Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

#### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

## NESTE TURBO+ E6 5W-30

### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (OECD 403)

### Distillates (petroleum), hydrotreated heavy paraffinic

### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 15000 mg/kg, Oral, Rat

### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit

### Dec-1-ene, homopolymer, hydrogenated

### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit

### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LC<sub>50</sub> > 5,2 mg/l, (4h), Inhalation, Rat

### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (4h) (OECD 403)

### bis(nonylphenyl)amine

### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

### Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Oral, Rat (OECD TG 401)

### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat (OECD TG 402)

**NESTE TURBO+ E6 5W-30****Distillates (petroleum), solvent-dewaxed heavy paraffinic****Acute toxicity - oral****Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat**Acute toxicity - dermal****Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit**zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)****Acute toxicity - oral****Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 2600 mg/kg, Oral, Rat**Acute toxicity - dermal****Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 3160 mg/kg, Dermal, Rabbit (OECD TG 402)**SECTION 12: Ecological Information****12.1. Toxicity****Toxicity**

The product is not expected to be hazardous to the environment. Based on available data the classification criteria are not met.

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based****Acute toxicity - fish**LL<sub>50</sub>, 96 hours: > 100 mg/l,  
NOEL, 96 hours: ≥ 100 mg/l,  
WAF (OECD 203)**Acute toxicity - aquatic invertebrates**EL<sub>50</sub>, 48 hours: > 10000 mg/l, Daphnia magna  
NOEL, 48 - 96 hours: ≥ 10000 mg/l,  
LL<sub>50</sub>, 24 - 96 hours: > 10000 mg/l,  
WAF (OECD 202)**Acute toxicity - aquatic plants**NOEL, 72 hours: ≥ 100 mg/l, Pseudokirchneriella subcapitata  
WAF (OECD 201)**Acute toxicity - microorganisms**NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge)  
(DIN 38412, DIN38409)**Chronic toxicity - fish early life stage**

NOELR, 14 days: ≥ 1000 mg/l, Onchorhynchus mykiss (Rainbow trout)

**Chronic toxicity - aquatic invertebrates**NOEL, 21 days: 10 mg/l, Daphnia magna  
WAF (OECD 211)**Distillates (petroleum), hydrotreated heavy paraffinic****Acute toxicity - fish**LL<sub>50</sub>, : > 100 mg/l,**Acute toxicity - aquatic invertebrates**EL<sub>50</sub>, : > 10000 mg/l,**Acute toxicity - aquatic plants**EL<sub>50</sub>, : > 100 mg/l,**Chronic toxicity - fish early life stage**

NOEC, : 10 mg/l,



**NESTE TURBO+ E6 5W-30**

**Chronic toxicity - aquatic invertebrates** NOEC, : 10 mg/l,

**Dec-1-ene, homopolymer, hydrogenated**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 1000 mg/l, Onchorhynchus mykiss (Rainbow trout)  
WAF

**Acute toxicity - aquatic invertebrates** EL50, 48 hours: > 1000 mg/l, Daphnia magna  
WAF (OECD TG 202)

**Acute toxicity - aquatic plants** EL50, 72 hours: > 1000 mg/l, Fish  
WAF (OECD TG 201)

**Chronic toxicity - aquatic invertebrates** NOELR, 21 days: 125 mg/l, Daphnia magna  
WAF (OECD TG 211)

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 100 mg/l,  
NOEL, 96 hours: ≥ 100 mg/l,  
WAF (OECD 203)

**Acute toxicity - aquatic invertebrates** EL50, 24 - 48 hours: > 10000 mg/l,  
NOEL, 48 - 96 hours: ≥ 10000 mg/l,  
LL<sub>50</sub>, 24 - 96 hours: > 10000 mg/l,  
WAF (OECD 202)

**Acute toxicity - aquatic plants** NOEL, 72 hours: ≥ 100 mg/l,  
WAF (OECD 201)

**Acute toxicity - microorganisms** NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge)  
(DIN 38412, DIN38409)

**Chronic toxicity - aquatic invertebrates** NOEL, 21 days: 10 mg/l, Daphnia magna  
WAF (OECD 211)

**bis(nonylphenyl)amine**

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: > 100 mg/l, Brachydanio rerio (Zebra Fish)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: > 100 mg/l, Daphnia magna  
WAF

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 600 mg/l, Pseudokirchneriella subcapitata

**Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate**

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: > 100 mg/l, Brachydanio rerio (Zebra Fish)  
(OECD TG 203)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: > 100 mg/l, Daphnia magna  
WAF (OECD TG 202)

**NESTE TURBO+ E6 5W-30**

<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: > 3 mg/l, <i>Desmodesmus subspicatus</i> (OECD TG 201) NOEC, 72 hours: ≥ 3 mg/l, <i>Desmodesmus subspicatus</i> (OECD TG 201)
<b>Acute toxicity - microorganisms</b>	EC <sub>50</sub> , 3 hours: > 100 mg/l, Activated sludge (OECD TG 209)
<b>Chronic toxicity - fish early life stage</b>	NOEC, 36 days: 0,001 mg/l, <i>Brachydanio rerio</i> (Zebra Fish) WAF (OECD TG 210)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: ~ 0,01 mg/l, <i>Daphnia magna</i> (OECD TG 211)

**zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)**

<b>Acute toxicity - fish</b>	LL <sub>50</sub> , 96 hours: 4,5 mg/l, <i>Onchorhynchus mykiss</i> (Rainbow trout)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 5,4 mg/l, <i>Daphnia magna</i>
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 2,1 mg/l, <i>Selenastrum capricornutum</i>

**12.2. Persistence and degradability**

**Persistence and degradability** No data available.

**Biodegradation** No data available.

**bis(nonylphenyl)amine**

<b>Biodegradation</b>	0 %, 28 d (OECD TG 301 B)
-----------------------	------------------------------

**Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate**

<b>Biodegradation</b>	< 4 %, 28 d (OECD TG 301B)
-----------------------	----------------------------

**zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)**

<b>Biodegradation</b>	1,5 %, 28 d (OECD TG 301 B)
-----------------------	--------------------------------

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

**Dec-1-ene, homopolymer, hydrogenated**

<b>Partition coefficient</b>	log Pow > 6,5
------------------------------	---------------

**bis(nonylphenyl)amine**

<b>Partition coefficient</b>	log Pow: > 7,5
------------------------------	----------------

**Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate**

## NESTE TURBO+ E6 5W-30

**Bioaccumulative potential** BCF: 260, Algae (OECD TG 305)

**Partition coefficient** log Pow: 9,2 (calculated)

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)

**Partition coefficient** log Pow 0,59 - 1,2 @ 23°C

### 12.4. Mobility in soil

**Mobility** No data available.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available.

### 12.6. Other adverse effects

**Other adverse effects** Risk of soil and ground water contamination.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

-

**UN No. (ADR/RID)** -

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** -

### 14.3. Transport hazard class(es)

**ADR/RID class** -

### 14.4. Packing group

**ADR/RID packing group** -

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## NESTE TURBO+ E6 5W-30

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No data available.

### SECTION 16: Other information

##### Abbreviations and acronyms used in the safety data sheet

DNEL = Derived No-Effect Level  
NOEL = No Observed Effect Level  
WAF = Water Accommodated Fraction  
BCF = Bio-Concentration Factor

##### Key literature references and sources for data

The manufacturer's SDS. 11.1.2017

##### Revision comments

This is first issue.

##### Revision date

29/09/2017

##### SDS number

5895

##### Hazard statements in full

H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.  
EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.