



## SAFETY DATA SHEET

### NESTE TURBO+ LSA 5W-30

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	NESTE TURBO+ LSA 5W-30
Product number	ID 20187
Internal identification	1873

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Engine oil.
-----------------	-------------

##### 1.3. Details of the supplier of the safety data sheet

Supplier	Neste Markkinointi Oy Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND Tel. +358 10 45811 lubetec@neste.com
----------	---

##### 1.4. Emergency telephone number

National emergency telephone number	+358-9-471 977, +358-9-4711, Poison Information Centre
-------------------------------------	--

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

##### 2.2. Label elements

Hazard statements	EUH208 Contains 2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts, Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salts. May produce an allergic reaction.
Supplemental label information	EUH210 Safety data sheet available on request.

##### 2.3. Other hazards

Other hazards	Risk of soil and ground water contamination.
---------------	--

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

## NESTE TURBO+ LSA 5W-30

<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b>	<b>25 - &lt; 40 %</b>
CAS number: 72623-87-1                      EC number: 276-738-4                      REACH registration number: 01-2119474889-13-XXXX	
<b>Classification</b> Asp. Tox. 1 - H304	
<b>Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated</b>	<b>2,5 - &lt; 5 %</b>
CAS number: 134758-95-5                      EC number: 603-861-6	
<b>Classification</b> Aquatic Chronic 4 - H413	
<b>Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate</b>	<b>2,5 - &lt; 5 %</b>
CAS number: 125643-61-0                      EC number: 406-040-9                      REACH registration number: 01-0000015551-76-XXXX	
<b>Classification</b> Aquatic Chronic 4 - H413	
<b>Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 147880-09-9                      EC number: 604-611-9	
<b>Classification</b> Aquatic Chronic 4 - H413	
<b>bis(nonylphenyl)amine</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 36878-20-3                      EC number: 253-249-4                      REACH registration number: 01-2119488911-28-XXXX	
<b>Classification</b> Aquatic Chronic 4 - H413	
<b>Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salt</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 722503-69-7	
<b>Classification</b> Aquatic Chronic 4 - H413	

## NESTE TURBO+ LSA 5W-30

<b>Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts</b> CAS number: 68784-31-6                      EC number: 272-238-5	1 - < 2,5 %
<b>Classification</b> Eye Dam. 1 - H318 Aquatic Chronic 2 - H411	
<b>Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol</b> CAS number: 1428353-74-5                      EC number: 142-835-3                      REACH registration number: 01-2120067755-46-XXXX	1 - < 2,5 %
<b>Classification</b> Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411	
<b>2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide</b> CAS number: 873694-48-5	1 - < 2,5 %
<b>Classification</b> Skin Sens. 1B - H317 Aquatic Chronic 4 - H413	
<b>Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salts</b> CAS number: 722503-69-7	0,1 - < 0,25 %
<b>Classification</b> Skin Sens. 1 - H317 Aquatic Chronic 4 - H413	
<b>Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts</b> CAS number: 722503-68-6	0,1 - < 0,25 %
<b>Classification</b> Skin Sens. 1B - H317 Aquatic Chronic 4 - H413	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

**Inhalation**                      Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.

## NESTE TURBO+ LSA 5W-30

<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
----------------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	None known.
<b>Hazardous combustion products</b>	Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). Nitrous gases (NO <sub>x</sub> ). Oxides of the following substances: Zinc. Boron.

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>For emergency responders</b>	Keep unnecessary and unprotected personnel away from the spillage.

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
----------------------------------	---

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.
--------------------------------	--

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8.
------------------------------------	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

## NESTE TURBO+ LSA 5W-30

**Usage precautions** Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

**Specific end use(s)** Not known.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)

**DNEL** Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol  
 Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol  
 Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.  
 Available hazard data do not support the need for a DNEL to be established for other health effects.

#### Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts (CAS: 68784-31-6)

**DNEL** Workers - Inhalation; Long term systemic effects: 2,93 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term systemic effects: 496,4 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 10,42 mg/kg  
 Workers - Dermal; Short term systemic effects: 100 mg/kg  
 Consumer - Inhalation; Long term systemic effects: 11,75 mg/m<sup>3</sup>  
 Consumer - Inhalation; Short term systemic effects: 198,6 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 2,1 mg/kg  
 Consumer - Dermal; Short term systemic effects: 50 mg/kg  
 Consumer - Oral; Long term systemic effects: 0,21 mg/kg

**PNEC** Sediment (Freshwater); 0,0701 mg/kg  
 Sediment (Marinewater); 0,00701 mg/kg  
 Soil; 0,0548 mg/kg

### 8.2. Exposure controls

**Appropriate engineering controls** All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.

**Eye/face protection** Tight-fitting safety glasses.

**Hand protection** Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.

**Other skin and body protection** Wear suitable protective clothing as protection against splashing or contamination.

**Respiratory protection** No specific recommendations.

**Environmental exposure controls** Store in a demarcated bunded area to prevent release to drains and/or watercourses.

## NESTE TURBO+ LSA 5W-30

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	-
Odour	-
Odour threshold	-
pH	-
Melting point	-
Initial boiling point and range	-
Flash point	201°C Pensky-Martens closed cup. 220°C Cleveland open cup.
Flammability (solid, gas)	-
Upper/lower flammability or explosive limits	-
Vapour density	-
Solubility(ies)	-
Partition coefficient	-
Auto-ignition temperature	-
Decomposition Temperature	-
Viscosity	Kinematic viscosity 78 mm <sup>2</sup> /s @ 40°C 12,4 mm <sup>2</sup> /s @ 100°C
Explosive properties	-
Oxidising properties	-

#### 9.2. Other information

Other information	Not known.
-------------------	------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

#### 10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
------------------------------------	---

#### 10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

#### 10.5. Incompatible materials

Materials to avoid	Oxidising agents. Strong acids.
--------------------	---------------------------------

## NESTE TURBO+ LSA 5W-30

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met. Supplier's information.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** The product contains a small amount of sensitising substance. Based on available data the classification criteria are not met. Supplier's information.

#### Germ cell mutagenicity

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

#### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

#### Toxicological information on ingredients.

##### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (OECD 403)

##### Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

#### Acute toxicity - oral

**NESTE TURBO+ LSA 5W-30**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Oral, Rat (OECD TG 401)

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat (OECD TG 402)

**Specific target organ toxicity - repeated exposure**

**STOT - repeated exposure** NOAEL 5 mg/kg, Oral, Rat, Male, Female (OECD TG 407)

**bis(nonylphenyl)amine****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

**Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 2900 mg/kg, Oral, Rat, Female (OECD TG 401) LD<sub>50</sub> 3400 mg/kg, Oral, Rat, Male (OECD TG 401)

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit (OECD TG 402)

**Specific target organ toxicity - repeated exposure**

**STOT - repeated exposure** NOAEL 125 mg/kg, Oral, Rat, Male, Female (28 d)

**Coconut oil, reaction products with boric acid (H<sub>3</sub>BO<sub>3</sub>), diethanolamine and glycerol****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 200 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

**SECTION 12: Ecological information****12.1. Toxicity**

**Toxicity** The product is not expected to be hazardous to the environment. Based on available data the classification criteria are not met. Supplier's information.

**Ecological information on ingredients.****Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based****Acute aquatic toxicity**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow)  
NOEL, 96 hours: ≥ 100 mg/l,  
WAF (OECD 203)

**Acute toxicity - aquatic invertebrates** EL50, 48 hours: > 10000 mg/l, Daphnia magna  
NOEL, 48 - 96 hours: ≥ 10000 mg/l,  
LL<sub>50</sub>, 24 - 96 hours: > 10000 mg/l,  
WAF (OECD 202)



**NESTE TURBO+ LSA 5W-30**

<b>Acute toxicity - aquatic plants</b>	NOEL, 72 hours: $\geq 100$ mg/l, <i>Pseudokirchneriella subcapitata</i> WAF (OECD 201)
<b>Acute toxicity - microorganisms</b>	NOEL, 10 minutes: $> 1,93$ mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)
<b><u>Chronic aquatic toxicity</u></b>	
<b>Chronic toxicity - fish early life stage</b>	NOELR, 14 days: $\geq 1000$ mg/l, <i>Oncorhynchus mykiss</i> (Rainbow trout)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEL, 21 days: 10 mg/l, <i>Daphnia magna</i> WAF (OECD 211)

**Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate****Acute aquatic toxicity**

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: $> 100$ mg/l, <i>Brachydanio rerio</i> (Zebra Fish) (OECD TG 203)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: $> 100$ mg/l, <i>Daphnia magna</i> WAF (OECD TG 202)
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: $> 3$ mg/l, <i>Desmodesmus subspicatus</i> (OECD TG 201)
	NOEC, 72 hours: $\geq 3$ mg/l, <i>Desmodesmus subspicatus</i> (OECD TG 201)
<b>Acute toxicity - microorganisms</b>	EC <sub>50</sub> , 3 hours: $> 100$ mg/l, Activated sludge (OECD TG 209)
<b><u>Chronic aquatic toxicity</u></b>	
<b>Chronic toxicity - fish early life stage</b>	NOEC, 36 days: 0,001 mg/l, <i>Brachydanio rerio</i> (Zebra Fish) WAF (OECD TG 210)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: $\sim 0,01$ mg/l, <i>Daphnia magna</i> (OECD TG 211)

**bis(nonylphenyl)amine****Acute aquatic toxicity**

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: $> 100$ mg/l, <i>Brachydanio rerio</i> (Zebra Fish)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: $> 100$ mg/l, <i>Daphnia magna</i> WAF
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 600 mg/l, <i>Pseudokirchneriella subcapitata</i>

**Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts****Acute aquatic toxicity**

<b>Acute toxicity - fish</b>	LL50, 96 hours: 4,4 mg/l, <i>Oncorhynchus mykiss</i> (Rainbow trout) (OECD TG 203)
<b>Acute toxicity - aquatic invertebrates</b>	EL50, 48 hours: 75 mg/l, <i>Daphnia magna</i> (OECD TG 202)

**NESTE TURBO+ LSA 5W-30**

**Acute toxicity - aquatic plants** EL50, 72 hours: 410 mg/l, *Desmodesmus subspicatus* (OECD TG 201)

**12.2. Persistence and degradability**

**Persistence and degradability** No data available.

**Biodegradation** No data available.

**Ecological information on ingredients.****Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate**

**Biodegradation** < 4 %, 28 d (OECD TG 301B)

**bis(nonylphenyl)amine**

**Biodegradation** 0 %, 28 d (OECD TG 301 B)

**Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts**

**Biodegradation** < 5 %, 27 d (OECD TG 301D)

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

**Ecological information on ingredients.****Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate**

**Bioaccumulative potential** BCF: 260, Fish (OECD TG 305)

**Partition coefficient** log Pow: 9,2 (calculated)

**bis(nonylphenyl)amine**

**Partition coefficient** log Pow: > 7,5

**Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts**

**Partition coefficient** log Pow: 4

**Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol**

**Partition coefficient** Pow: 3,57 @ 25 °C

**12.4. Mobility in soil**

**Mobility** No data available.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**12.6. Other adverse effects**

**Other adverse effects** Risk of soil and ground water contamination.

## NESTE TURBO+ LSA 5W-30

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

-

UN No. (ADR/RID) -

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID) -

#### 14.3. Transport hazard class(es)

ADR/RID class -

#### 14.4. Packing group

ADR/RID packing group -

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant  
No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No data available.

### SECTION 16: Other information

## NESTE TURBO+ LSA 5W-30

<b>Key literature references and sources for data</b>	The manufacturer's SDS. 23.8.2019
<b>Revision comments</b>	This is the first issue.
<b>Revision date</b>	23/09/2019
<b>SDS number</b>	6340
<b>Hazard statements in full</b>	<p>H304 May be fatal if swallowed and enters airways.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>H413 May cause long lasting harmful effects to aquatic life.</p> <p>EUH208 Contains 2,5-Furandione, polymer with 1-hexadecene, methyloxirane polymer with oxirane bis (2-aminopropyl) ether and 2-methyl-1-propene, 4-(phenylamino)phenyl imide, Coconut oil, reaction products with boric acid (H3BO3), diethanolamine and glycerol, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts, Benzenesulfonic acid methyl-, mono C20-26 branched alkyl derivs., calcium salts. May produce an allergic reaction.</p>