



## SAFETY DATA SHEET

### NESTE PRO+ W LL-III 0W-30

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** NESTE PRO+ W LL-III 0W-30  
**Product number** ID 20821  
**Internal identification** 1188

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Engine oil.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Neste Markkinointi Oy  
Keilaranta 21, Espoo, P.O.B. 95, FIN-00095 NESTE, FINLAND  
Tel. +358 10 45811  
lubetec@neste.com

##### 1.4. Emergency telephone number

**National emergency telephone number** +358-9-471 977, +358-9-4711, Poison Information Centre number

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Not Classified  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

##### 2.2. Label elements

**Hazard statements** EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.  
**Supplemental label information** EUH210 Safety data sheet available on request.

##### 2.3. Other hazards

**Other hazards** This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

## NESTE PRO+ W LL-III 0W-30

<b>Distillates (petroleum), hydrotreated heavy paraffinic</b>	<b>25 - &lt; 40 %</b>
CAS number: 64742-54-7	EC number: 265-157-1
	REACH registration number: 01-2119484627-25-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Dec-1-ene, homopolymer, hydrogenated</b>	<b>15 - &lt; 25 %</b>
CAS number: 68037-01-4	EC number: 500-183-1
	REACH registration number: 01-2119486452-34-XXXX
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b>	<b>5 - &lt; 10 %</b>
CAS number: 72623-86-0	EC number: 276-737-9
	REACH registration number: 01-2119474878-16
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b>	<b>5 - &lt; 10 %</b>
CAS number: 72623-87-1	EC number: 276-738-4
	REACH registration number: 01-2119474889-13
<b>Classification</b>	
Asp. Tox. 1 - H304	
<b>bis(nonylphenyl)amine</b>	<b>1 - &lt; 2,5 %</b>
CAS number: 36878-20-3	EC number: 253-249-4
	REACH registration number: 01-2119488911-28-XXXX
<b>Classification</b>	
Aquatic Chronic 4 - H413	
<b>C14-16-18 Alkyl phenol</b>	<b>0,1 - &lt; 0,5 %</b>
CAS number: —	EC number: 931-468-2
	REACH registration number: 01-2119498288-19-XXXX
<b>Classification</b>	
Skin Sens. 1B - H317	
STOT RE 2 - H373	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

## NESTE PRO+ W LL-III 0W-30

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

### **4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The product contains a small amount of sensitising substance. May cause an allergic skin reaction.
----------------------------	--

### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### **5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	None known.
<b>Hazardous combustion products</b>	Nitrous gases (NOx). Carbon dioxide (CO2). Carbon monoxide (CO).

### **5.3. Advice for firefighters**

<b>Protective actions during firefighting</b>	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Contain and collect extinguishing water. Avoid discharge into drains.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Wear suitable protective clothing as protection against splashing or contamination.
<b>For emergency responders</b>	Keep unnecessary and unprotected personnel away from the spillage.

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Stop leak if safe to do so. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
----------------------------------	---

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Absorb spillage with sand or other inert absorbent. Place waste in labelled, sealed containers. Dispose of waste via a licensed waste disposal contractor.
--------------------------------	--

### **6.4. Reference to other sections**

<b>Reference to other sections</b>	For personal protection, see Section 8.
------------------------------------	---

## NESTE PRO+ W LL-III 0W-30

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid inhalation of vapours and spray/mists. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. All handling should only take place in well-ventilated areas. Take precautionary measures against static discharges. For personal protection, see Section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

**Specific end use(s)** Not known.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS: 72623-86-0)

**DNEL** Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol  
Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol  
Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.  
Available hazard data do not support the need for a DNEL to be established for other health effects.

##### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1)

**DNEL** Workers - Inhalation; Long term local effects: 5,4 mg/m<sup>3</sup>, (8h), Aerosol  
Consumer - Inhalation; Long term local effects: 1,2 mg/m<sup>3</sup>, (24h), Aerosol  
Available hazard data do not enable the derivation of a DNEL for dermal irritant effects.  
Available hazard data do not support the need for a DNEL to be established for other health effects.

#### 8.2. Exposure controls

**Appropriate engineering controls** All handling should only take place in well-ventilated areas. Provide eyewash station and safety shower.

**Eye/face protection** Tight-fitting safety glasses.

**Hand protection** Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Butyl rubber.

**Other skin and body protection** Wear suitable protective clothing as protection against splashing or contamination.

**Respiratory protection** No specific recommendations.

**Environmental exposure controls** Store in a demarcated bunded area to prevent release to drains and/or watercourses.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**Appearance** Liquid.

**NESTE PRO+ W LL-III 0W-30**

<b>Colour</b>	Tan.
<b>Odour</b>	Petroleum.
<b>Odour threshold</b>	-
<b>pH</b>	-
<b>Melting point</b>	< -45°C Pour point
<b>Initial boiling point and range</b>	Not known.
<b>Flash point</b>	230°C Cleveland open cup.
<b>Flammability (solid, gas)</b>	-
<b>Upper/lower flammability or explosive limits</b>	-
<b>Vapour pressure</b>	-
<b>Vapour density</b>	-
<b>Relative density</b>	0,844 @ 15°C
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	-
<b>Auto-ignition temperature</b>	-
<b>Decomposition Temperature</b>	-
<b>Viscosity</b>	Kinematic viscosity 65 mm <sup>2</sup> /s @ 40°C Dynamic viscosity < 6200 mPa s @ -35°C
<b>Explosive properties</b>	-
<b>Oxidising properties</b>	-
<b><u>9.2. Other information</u></b>	
<b>Other information</b>	Not known.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

**Reactivity** There are no known reactivity hazards associated with this product.

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** No potentially hazardous reactions known.

**10.4. Conditions to avoid**

**Conditions to avoid** None known.

**10.5. Incompatible materials**

**Materials to avoid** Oxidising agents.

**10.6. Hazardous decomposition products**

## NESTE PRO+ W LL-III 0W-30

**Hazardous decomposition products** No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met. The product contains a small amount of sensitising substance. May cause an allergic skin reaction.

#### Germ cell mutagenicity

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

#### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

#### Toxicological information on ingredients.

##### Distillates (petroleum), hydrotreated heavy paraffinic

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 15000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Dermal, Rabbit

##### Dec-1-ene, homopolymer, hydrogenated

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit

**NESTE PRO+ W LL-III 0W-30****Acute toxicity - inhalation**

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5,2 mg/l, (4h), Inhalation, Rat

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

**Acute toxicity - inhalation**

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (4h) (OECD 403)

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat (OECD 401)

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rabbit (OECD 402)

**Acute toxicity - inhalation**

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> > 5,53 mg/l, Inhalation, Rat (OECD 403)

**bis(nonylphenyl)amine****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 5000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

**C14-16-18 Alkyl phenol****Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Oral, Rat

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> > 2000 mg/kg, Dermal, Rat

**SECTION 12: Ecological information****12.1. Toxicity**

**Toxicity** The product is not expected to be hazardous to the environment. Based on available data the classification criteria are not met.

**Ecological information on ingredients.****Distillates (petroleum), hydrotreated heavy paraffinic****Acute aquatic toxicity**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 100 mg/l,

**Acute toxicity - aquatic invertebrates** EL50, 48 hours: > 10000 mg/l,

**NESTE PRO+ W LL-III 0W-30**

**Acute toxicity - aquatic plants** EL50, 72 hours: > 100 mg/l,

**Chronic aquatic toxicity**

**Chronic toxicity - fish early life stage** NOEC, : 10 mg/l,

**Chronic toxicity - aquatic invertebrates** NOEC, : 10 mg/l,

**Dec-1-ene, homopolymer, hydrogenated****Acute aquatic toxicity**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 1000 mg/l, Oncorhynchus mykiss (Rainbow trout) WAF

**Acute toxicity - aquatic invertebrates** EL50, 48 hours: > 1000 mg/l, Daphnia magna WAF (OECD TG 202)

**Acute toxicity - aquatic plants** EL50, 72 hours: > 1000 mg/l, Algae WAF (OECD TG 201)

**Chronic aquatic toxicity**

**Chronic toxicity - aquatic invertebrates** NOELR, 21 days: 125 mg/l, Daphnia magna WAF (OECD TG 211)

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based****Acute aquatic toxicity**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 100 mg/l,  
NOEL, 96 hours: ≥ 100 mg/l,  
WAF (OECD 203)

**Acute toxicity - aquatic invertebrates** EL50, 24 - 48 hours: > 10000 mg/l,  
NOEL, 48 - 96 hours: ≥ 10000 mg/l,  
LL<sub>50</sub>, 24 - 96 hours: > 10000 mg/l,  
WAF (OECD 202)

**Acute toxicity - aquatic plants** NOEL, 72 hours: ≥ 100 mg/l,  
WAF (OECD 201)

**Acute toxicity - microorganisms** NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)

**Chronic aquatic toxicity**

**Chronic toxicity - aquatic invertebrates** NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based****Acute aquatic toxicity**

**Acute toxicity - fish** LL<sub>50</sub>, 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow)  
NOEL, 96 hours: ≥ 100 mg/l,  
WAF (OECD 203)



## NESTE PRO+ W LL-III 0W-30

<b>Acute toxicity - aquatic invertebrates</b>	EL50, 48 hours: > 10000 mg/l, Daphnia magna NOEL, 48 - 96 hours: ≥ 10000 mg/l, LL <sub>50</sub> , 24 - 96 hours: > 10000 mg/l, WAF (OECD 202)
<b>Acute toxicity - aquatic plants</b>	NOEL, 72 hours: ≥ 100 mg/l, Pseudokirchneriella subcapitata WAF (OECD 201)
<b>Acute toxicity - microorganisms</b>	NOEL, 10 minutes: > 1,93 mg/l, Micro-organisms (wastewater sludge) (DIN 38412, DIN38409)
<b><u>Chronic aquatic toxicity</u></b>	
<b>Chronic toxicity - fish early life stage</b>	NOELR, 14 days: >= 1000 mg/l, Oncorhynchus mykiss (Rainbow trout)
<b>Chronic toxicity - aquatic invertebrates</b>	NOEL, 21 days: 10 mg/l, Daphnia magna WAF (OECD 211)

### bis(nonylphenyl)amine

<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: > 100 mg/l, Brachydanio rerio (Zebra Fish)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: > 100 mg/l, Daphnia magna WAF
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: 600 mg/l, Pseudokirchneriella subcapitata

### C14-16-18 Alkyl phenol

<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: > 100 mg/l, Cyprinus carpio (Common carp) WAF
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: > 100 mg/l, Daphnia magna (OECD TG 202)
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata WAF

### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

**Biodegradation** No data available.

### Ecological information on ingredients.

#### bis(nonylphenyl)amine

**Biodegradation** 0 %, 28 d  
(OECD TG 301 B)

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** -

### Ecological information on ingredients.

## NESTE PRO+ W LL-III 0W-30

### Dec-1-ene, homopolymer, hydrogenated

Partition coefficient      log Pow > 6,5

### bis(nonylphenyl)amine

Partition coefficient      log Pow: > 7,5

### C14-16-18 Alkyl phenol

Partition coefficient      log Pow: > 7,2

#### 12.4. Mobility in soil

Mobility      No data available.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment      This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Other adverse effects      None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal methods      Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Do not reuse empty containers.

### SECTION 14: Transport information

General      The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

-

UN No. (ADR/RID)      -

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)      -

#### 14.3. Transport hazard class(es)

ADR/RID class      -

#### 14.4. Packing group

ADR/RID packing group      -

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant  
No.

#### 14.6. Special precautions for user

Not applicable.

## NESTE PRO+ W LL-III 0W-30

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 2015/830 of 28 May 2015.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No data available.

### SECTION 16: Other information

**Key literature references and sources for data** The manufacturer's SDS. 21.7.2020

**Revision comments** This is the first issue.

**Revision date** 08/10/2020

**SDS number** 4529

**Hazard statements in full** H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H413 May cause long lasting harmful effects to aquatic life.  
EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.